

## **Bennekerry N.S. COVID-19 Policy Statement**

Bennekerry N.S. is committed to providing a safe and healthy workplace for all our staff and a safe learning environment for all our pupils. To ensure that, we have developed the following COVID-19 Response Plan. The BOM and all school staff are responsible for the implementation of this plan and a combined effort will help contain the spread of the virus.

We will:

- continue to monitor our COVID-19 response and amend this plan in consultation with our staff
- provide up to date information to our staff and pupils on the Public Health advice issued by the HSE and Gov.ie
- display information on the signs and symptoms of COVID-19 and correct handwashing techniques
- agree with staff, a worker representative who is easily identifiable to carry out the role outlined in this plan
- inform all staff and pupils of essential hygiene and respiratory etiquette and physical distancing requirements
- adapt the school to facilitate physical distancing as appropriate in line with the guidance and direction of the Department of Education
- keep a contact log to help with contact tracing
- ensure staff engage with the induction / familiarisation briefing provided by the Department of Education
- implement the agreed procedures to be followed in the event of someone symptoms of COVID-19 while at school
- provide instructions for staff and pupils to follow if they develop signs and symptoms of COVID-19 during school time
- implement cleaning in line with Department of Education advice

All school staff will be consulted on an ongoing basis and feedback is encouraged on any concerns, issues or suggestions.

This can be done through the Lead Worker Representative(s), who will be supported in line with the agreement between the Department and education partners.

hender 12 Signed:

Date: 05 - 68 - 2020

## Bennekerry N.S. Risk Assessment to take account of risks associated with Covid-19

Who may be affected? Identified Risks		Education and Training	Risk Rating with controls	Action implementation
StaffSpread of Covid-19 virusPersons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood 	<ul> <li>and mitigation of Covid-19 following This plan will highlight the measur safety of staff in re-opening and mod school.</li> <li>The staff representative(s) will be primplementing the action plan for the within the school and all staff will introduced, using specific risk comproaches.</li> <li>The Board of Management will:</li> <li>✓ Ensure that all staff receive necessions of Covid-19 among station and awareness of Covid-19 among station and awareness of Covid-19 among station and awareness of Covid-19 among station of their effectivenessions</li> <li>✓ Provide regular information about sources, such as government age Health Organisation</li> <li>✓ Emphasise the effectiveness of a good personal hygiene</li> </ul>		Negligible	Board of Management Principal Staff
Risk Level Calculation(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ntrol
Assessment Date: June, 2020		Assessor's Name: Aoife Rice and Tonia Cleary		

Who may be affected?	Identified Risks		<mark>lygiene</mark> Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>appropriate santitisers (i.e. hand gel dissichool. Staff should:</li> <li>✓ Wash their hands properly and ofter</li> <li>○ After coughing or sneezing</li> <li>○ Before and after eating or preption</li> <li>○ Before and after using protection</li> <li>○ Before and after being on publio</li> <li>○ When arriving and leaving the original devices</li> <li>✓ Cover theirmouth and nose with a tissic and sneezing.</li> <li>✓ Put used tissues into a bin and wash to the device of disinfectants and will ensure the objects and surfaces</li> <li>The BoM will supply required cleaning private of disinfectants and will ensure the original devices</li> <li>✓ Fever (temperature of 37.5 degrices)</li> <li>✓ Coughing difficulties</li> <li>✓ Any Staff Member displaying symptoms days</li> <li>Any staff member living with someone test must restrict their movements for 14</li> <li>Any Staff Member who has tested positideemed fit to do so and upon approval or the state of the state</li></ul>	baring food ive gloves lic transport e school campus asue or their sleeve when coughing their hands eaning and disinfecting of frequently touched products, will ensure the correct use re all products are stored safely and securely. ork if they display any of the symptoms ees or above) s must self-isolate and not attend school for 14 who is self-isolating or waiting for a Covid-19 days. ive for Covid-19 must not return to work until	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcul (a) Severity of ris (b) Likelihood of (c) Risk Rating =	k/injury 1=trivial, 2=slight, 3=moo event 1=rare, 2=unlikely, 3=like	lerate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ıtrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice and Tonia Clear	у	

Who may be affected?	Identified Risks		<mark>Hygiene</mark> Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>throughout school facility (buildity Appropriate social distancing mathematical Appropriate social distancing mathematical Appropriate social distancing mathematical Appropriate social distancing mathematical Standard cleaning and maintenance records retained</li> <li>Toilet facilities are cleaned regula</li> <li>All drinking water facilities will the Equipment sharing is minimised equipment</li> <li>There is regular cleaning of freq provided with essential cleaning clean (for example wipes/disinforbins/bags)</li> <li>All school equipment is sanitised ensure that shared equipment is different people</li> <li>Covid compliant work areas to guidelines can be applied</li> <li>There is staggered use of canteen.</li> <li>Bins are provided for disposal of wipes, etc.) and that adequate wiplace to ensure they do not overfing any</li> </ul>	public health guidelines will be displayed ngs and grounds). rkings are in place ff nce regimes are put in place and detailed arly be shut down ed. Staff are encouraged not to share uently touched surfaces and that staff are is materials to keep their own work areas ection products, paper towels and waste d – cleaning programmes to be devised to cleaned and disinfected between use by o be available where social distancing /kitchen or other communal facilities of waste materials (tissues, paper towels, aste collection arrangements to be put in	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcul (a) Severity of rist (b) Likelihood of (c) Risk Rating =	k/injury 1=trivial, 2=slight, 3=mod event 1=rare, 2=unlikely, 3=like	lerate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furt16-25Emergency riskHalt activity and review		ntrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice and Tonia Clea	ry	

Who may be affected?	Identified Risks		Distancing ontrols	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	<ul> <li>infection.</li> <li>The Board of Mangement will ensure tha</li> <li>✓ all persons will adhere to relevant s the school, use of welfare facilities and</li> <li>✓ physical spacing (2 metres apart spaces, such as entrances/exits, lift congregation or queuing of staff, or</li> <li>✓ Break times will be staggered and strictly adhered to</li> <li>✓ Appropriate signage in line with throughout school facility (building:</li> <li>✓ Appropriate social distancing arar facility</li> <li>✓ Meetings of staff will take place onl</li> <li>✓ There is currently a strict no handsh</li> <li>✓ All staff, contractors and visitors sh other persons as far as possible</li> </ul>	while working in the school currently) for work stations and common fts, kithchen areas, canteens, stairs, where students of visitors might occur school supervision procedures must be public health guidelines will be displayed s and grounds) ngements will be in place throughout the ine and by using teleconferencing facilities aking policy in place within the school nould avoid direct physical contact with any	Requires monitoring	Board of Management Principal Staff Visitors
• L • I dist	<ul> <li>Loss of sense of taste or distortion of sense of taste</li> <li>Death</li> </ul>	<ul> <li>cannot be suspended):</li> <li>✓ No worker has symptoms of Covid</li> <li>✓ The close contact work cannot be a</li> <li>✓ Installation of physical barriers e.g.</li> <li>✓ PPE is present in line with the approgloves, etc) and public health advice</li> </ul>	thin 2 metres of each other (where activity -19 voided clear plastic sneeze guards oved risk assessment (full face mask, e ill be set up pre task commencement	Serious	
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=r ent 1=rare, 2=unlikely, 3=l	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review review		ntrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice and Tonia Cleary		

Who may be affected?	Identified Risks	<b>Cleaning</b> Controls	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste •Death	<ul> <li>All cleaning will be undertaken in line with DES and public health guidance.</li> <li>Staff are responsible for cleaning personal items that have been brought to work and items handled at work or during breaks. Staff advised to clean personal items that they have bring to work (e.g. mobile phones) and to avoid leaving them down on communal surfaces or they will need to clean the surface after the personal item is removed</li> <li>Cleaning staff will be trained in the new cleaning arrangements for the school</li> <li>Sufficient cleaning materials and PPE will be available to allow for increased cleaning</li> <li>Cleaning staff will be instructed to wear gloves when cleaning and are aware of the need to wash their hands thoroughly with soap and water, both before and after wearing gloves</li> <li>System in place for the disposable of cleaning cloths and used wipes in a rubbish bag Current HSE guidance recommends waste such as cleaning waste, tissues etc. from a person suspected of having Covid-19 should be double bagged and stored in a secure area for 72 hours before being presented for general waste collection</li> <li>System in place to make sure reusable cleaning equipment including mop heads and non-disposable cloths are clean before re-use</li> <li>System in place to ensure that equipment such as buckets are emptied and cleaned with a fresh solution of disinfectant before re-use</li> </ul>	Requires monitoring	Board of Management Principal Staff
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=n ent 1=rare, 2=unlikely, 3=h	Risk Level Actionnoderate, 4=major, 5=fatalityikely, 4=very likely, 5=inevitable6-101-51-151-151-151-151-25Emergency risk1-25Emergency risk1-151-25Emergency risk1-151-151-251-15<		ntrol
Assessment Date:	June, 2020	Assessor's Name: Aoife Rice and Tonia Clear	1	

Who may be affected?	Identified Risks		ministration areas	Risk Rating with controls	Action implementation
Staff	<ul> <li>Spread of Covid-19 virus</li> <li>Persons currently deemed most at risk of complications if they catch the coronavirus are: <ul> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> </ul> </li> <li>Known effects of the coronavirus: <ul> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> <li>Loss of sense of smell</li> <li>Loss of sense of taste or distortion of sense of taste</li> </ul> </li> </ul>	<ul> <li>distancing between designated w</li> <li>The number of employees perm time shall be limited as a necess safety.</li> </ul>	to facilitate the maintenance of physical vorkstations and staff itted to work in an office at any particular sary control measure to protect health and	Requires monitoring	Board of Management Principal Administration staff
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=n ent 1=rare, 2=unlikely, 3=li ) X (b)	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ntrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks		of PPE ontrols	Risk Rating with controls	Action implementation
Staff	cough	shields/visors or clear plastic barriers in some circumstances to address iden Where PPE is required by staff, the provided with the necessary PPE and in the proper use, cleaning, storage an PPE needs to be consistently and prop must be regularly inspected, cleaned, n PPE will not be required to be worn current occupational and public health Current general guidance from the L coverings, masks and gloves is https://www2.hse.ie/conditions/coro gloves.html Face masks will be provided to all stat Gloves are not required generally prevention and control purposes acc risks associated with the usage of glo be providing gloves to staff for general	ey will be notified accordingly and be l provided with training and information d disposal of PPE. perly worn when required. In addition, it maintained and replaced as necessary. a within the school facility according to a guidance. HSE in relation to the wearing of face available at the following Link: <u>navirus/face-masks-disposable-</u> ff and are available for optional use. within the workplace for infection ording to current guidance. Due to the oves, the Board of Management will not	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)    1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ntrol	
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks		r resources during Covid-19 ontrols	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste •Death	<ul> <li>rental scheme) and other resource methods will be available to pupils for following guidelines are recommended compiling resource packs:</li> <li>Maintain physical distancing</li> <li>Observe good hygiene (hand touch your eyes, nose, mouth after handling books and othe</li> <li>Follow the agreed school pro Covid-19</li> <li>Any books or other items returned to the school sl Quarantining means placing labelled with the time and da period. These boxes should b active work areas within the s</li> </ul>	washing and respiratory etiquette, do not n with unwashed hands, etc.) before and r materials returned to the school tocols if you are displaying symptoms of (resource packs, computers, etc.) being hould be quarantined for 72 hours. these items in sealed boxes that are ate of the start of the 72-hour quarantine e stored in a separate location away from chool 72-hour quarantine period the items may ared for the next school year	Requires monitoring	Board of Management Principal Staff
Risk Level Calculati (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=r ent 1=rare, 2=unlikely, 3=l	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ntrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks	<u> </u>	ols or equipment	Risk Rating with controls	Action implementation
Per at 1 cat • 6 • cor lun pre • p Kn cor • A 37. • A 37. • A kin cou • • bre • • L • • •	bread of Covid-19 virus ersons currently deemed most risk of complications if they tch the coronavirus are: 60 years of age and over have long-term medical inditions – i.e. heart disease, ing disease, high blood essure, diabetes or cancer pregnant women nown effects of the ronavirus: A fever (high temperature of 2.5 degrees Celsius or above) A cough - this can be any ind of cough, not just a dry ugh Shortness of breath or eathing difficulties Loss of sense of smell Loss of sense of taste Death	<ul> <li>are undertaking</li> <li>✓ All tools and equipment must properly sanitised to prevent cro</li> <li>✓ Arrangements should be put in tool, equipment and machinery</li> <li>✓ Cleaning material will be be wiped down with disinfectant</li> </ul>	place for one individual to use the same as far as is reasonably practicable available so that all tools can between each use ling lawnmowers) must be thoroughly	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injur (b) Likelihood of event (c) Risk Rating = (a) X (	1=rare, 2=unlikely, 3=lik (b)	oderate, 4=major, 5=fatality xely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial risk6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ntrol
Assessment Date: Jun	ne, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks		ected case of Covid-19	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste •Death	<ul> <li>designated area and the route to the and as far as is reasonable and prace disabilities. The possibility of havin Covid-19 needs to be considered so or another contingency plan for dea It would be important that the designs person behind a closed door and awa</li> <li>If a person displays symptoms of Complemented:</li> <li>✓ Isolate the person and have a proceed the designated isolation area via the away from the symptomatic person distance of at least 2 metres from the V Provide a mask for the person pre He/she should wear the mask if in exiting the premises.</li> <li>✓ Assess whether the individual who directed to go home and call their do V Facilitate the person presenting wir cannot immediately go home and individual should avoid touching pe given to the person presenting with</li> </ul>	available within the school building. The designated area should be easily accessible ticable, should be accessible by people with ng more than one person displaying signs of b having additional isolation areas available ding with additional cases must be planned. signated area has the ability to isolate the ay from other workers <b>ovid-19 the following procedure is to be</b> dure in place to accompany the individual to be isolation route, keeping at least 2 metres and also making sure that others maintain a	Requires monitoring	Board of Management Principal Staff
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=n ent 1=rare, 2=unlikely, 3=1	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review implication		ıtrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks		case of Covid-19 (continued)	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste •Death	<ul> <li>transported home by a family them to inform their general p Public transport of any kind shot</li> <li>✓ If they are too unwell to go ho 112 and inform them that the side</li> <li>✓ Carry out an assessment of determining follow-up actions a</li> </ul>	ome or advice is required, contact 999 or ck person is a Covid-19 suspect. the incident which will form part of	Requires monitoring	Board of Management Principal Staff
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=n ent 1=rare, 2=unlikely, 3=li	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ıtrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks		9 cleaning ntrols	<b>Risk Rating</b> with controls	Action implementation
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>suspected coronavirus (Covid-19) case infection on to other people</li> <li>The area should be kept closed and s as the amount of virus living on surf hours</li> <li>For cleaning purposes, wear a face me should be double-bagged, then store the regular rubbish after cleaning is fit</li> <li>Using a disposable cloth, first clean he disinfect these surfaces with the comparticular attention to frequently to banisters on stairwells and door hand</li> <li>If an area has been heavily contamined mouth and nose, as well as wearing geoves, aprons and other protection of Public areas where a symptomatic in imal time, such as corridors, but whit fluids can be cleaned as normal</li> <li>All surfaces that the symptomatic period.</li> </ul>	with normal household disinfectant after a se. This wil reduce the risk of passing the ecure for 72 hours (if possible) for cleaning faces will have reduced significantly by 72 hask, disposable or washing up gloves. Thes red securely for 72 hours and then put with inished should be double-bagged, ard surfaces with warm soapy water. Then cleaning products you normally use. Pay buched areas and surfaces, such as toilets, fles ated, such as with visible bodily fluids, fro 19) consider using protection for the eyes, gloves and apron water for 20 seconds and after removing	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely,5=inevitable(c) Risk Rating = (a) X (b)Assessment Date: June, 2020		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monito11-15Severe riskRequires immedia16-25Emergency riskHalt activity andAssessor's Name:Aoife Rice & Tonia	ate further act review immed		

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 Controls		Risk Rating with controls	Action implementation
Staff Pupils Visitors	<ul> <li>at risk of complications if they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any</li> </ul>	All cleaning will be undertaken in line with DES and public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean all h floors, chairs, door handles and sanitary fittings, using an approved and recognised disinfectant in line with the manufacturer's instructions for dilution, aplication and co Disinfectants used should be effective against viruses. <b>Additionally:</b> Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and should be put into waste ba below. When items cannot be cleaned using detergents or laundered (upholstered furniture for example) steam cleaning should be used Any items that have been heavily contaminated with bodyfluids and that cannot be washing should be disposed of If possible, keep an area closed off and secure for 72 hours. After this time the amount contamination will have decreased substantially, and cleaning can take place as norma	detergent a ontact times ags as outlin of mattress be cleaned t of virus	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=r ent 1=rare, 2=unlikely, 3=l	noderate, 4=major, 5=fatality kely, 4=very likely, 5=inevitable $\frac{Risk Level Action}{1-5 Trivial risk} Acceptable6-10 Medium risk Requires mo11-15 Severe risk Requires imm16-25 Emergency risk Halt activity a$	nediate furthe	er action and com	ntrol

Who may be affected?	Identified Risks	<b>–</b>	suspected/confirmed case of (continued)	Risk Rating with controls	Action implementation
		Co	ontrols		
Staff Pupils Visitors	<ul> <li>Spread of Covid-19 virus</li> <li>Persons currently deemed most at risk of complications if they catch the coronavirus are: <ul> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> </ul> </li> <li>Known effects of the coronavirus: <ul> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> <li>Loss of sense of smell</li> <li>Loss of sense of taste •Death</li> </ul> </li> </ul>	<ul> <li>water setting and dry items completely. Dirty laundry that has been in contact with an unwell person can be washed with other people's items. Do not shake dirty laundry as this minimises the possibility of dispersing the virus through the air</li> <li>Clean and disinfect anything used for transporting laundry with your usual products, in line with the cleaning guidance outlined above</li> <li>Waste Management</li> <li>Waste should be put in a plastic rubbish bag and tied when full</li> <li>The plastic bag should then be placed in a second bin bag and tied</li> <li>It should be put in a suitable and secure place and marked for storage until the individual's test results are known</li> <li>All waste should be stored safely and kept away from children. You should not put waste in communal waste areas until negative test results are known or the waste has been stored for at least 72 hours</li> <li>If the individual tests negative, the waste can be put in with the normal waste. If the individual tests positive, then store it for at least 72 hours and put in with the normal waste</li> </ul>		Serious Requires monitoring	Principal Cleaning staff
isk Level Calcula ) Severity of risk ) Likelihood of e	/injury 1=trivial, 2=slight, 3=r	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial risk6-10Medium risk11-15Severe riskRequires immediate fu	rther action and co	atrol

Who may be affected?	Identified Risks		nd from work	Risk Rating with controls	Action implementation
Pe at ca ca ca ca ca ca lu pr ca lu pr	Persons currently deemed most t risk of complications if they atch the coronavirus are: 60 years of age and over have long-term medical onditions – i.e. heart disease,	they should not travel to work. Wherever possible, staff should travel to work should not share transport to or from work. If availing of public transport, sit down to minin handles,roofstraps,isolation bars, etc.	Covid-19 or has been exposed to a confirmed case alone using their own means of transport – staff mise contact with frequently touched surfaces, least 60% alcohol) and use it regularly throughout	Requires monitoring	All staff
Risk Level Calculation(a) Severity of risk/injury(b) Likelihood of event(c) Risk Rating = (a) X (b)    1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review i		ntrol	
Assessment Date: Ju	une, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks	Dropping off and picking up of pupils Controls	Risk Rating with controls	Action implementation
Staff Pupils Parents/guardians Bus and taxi drivers Wider Community	lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus:	Arrangements for dropping off and picking up pupils from the school facility will be organised to maintain, as far as is reasonably practicable, a safe social distance between drivers/parents/guardians and all school staff. Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures. It expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school Where SEN pupils are dropped off and picked up by a private bus/taxi, the accompanying adult should remain in the car/bus with the pupil. A designated staff member will come to the car/bus to receive the pupil and will avoid or limit physical contact with the accompanying adult. Subject to available space there is no strict requirement for taxis/buses to arrive one at a time provided that those accompanying the pupil remain in the taxi/bus and do not interact with those accompanying other pupils. A similar process should be followed for pick up.	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculati (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=r ent 1=rare, 2=unlikely, 3=l	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable ikely, 5=very likely, 5=inevitable ikely, 5=very likely, 5=very likely, 5=very likely, 5=very likely, 5=very likely, 5=very li		ntrol
Assessment Date:	June, 2020	Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks	Visitors to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	The Board of Management will ensure the safety and wellbeing of all visitors to the school premises. Visits to the school will be severely restricted and visitors will be asked to:	Requires monitoring	Board of Management Principal
Risk Level Calculati (a) Severity of risk/ii (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=n ent 1=rare, 2=unlikely, 3=1	noderate, 4=major, 5=fatality ikely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furt 16-25 Emergency risk Halt activity and review		ntrol
Assessment Date:	June, 2020	Assessor's Name: Aoife Rice & Tonia Cleary		

Who may be affected?	Identified Risks	C	ries and supplies to school	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	Ensure that all delivery transactions con Agree a delivery protocol with supplier All deliveries to be planned with alloca Arrangements to be made for paperless System to be agreed with suppliers to e	ted times for collections and deliveries deliveries	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculat (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a	injury 1=trivial, 2=slight, 3=mod rent 1=rare, 2=unlikely, 3=likel	erate, 4=major, 5=fatality y, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review implication		ntrol
Assessment Date:	June, 2020		Assessor's Name: Aoife Rice & Tonia Cleary		